## **BUREAU OF PUBLIC WATER SUPPLY**

CALENDAR YEAR 2011 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM

# 0090003 + 0580023 List PWS ID #s for all Water Systems Covered by this CCR

The Fe confide must be	ederal Safe Drinking Water Act requires each <i>community</i> public water system to develop and distence report (CCR) to its customers each year. Depending on the population served by the public water be mailed to the customers, published in a newspaper of local circulation, or provided to the customers upon the customers of the cu	ribute a consume system, this CCF pon request.
Please .	Answer the Following Questions Regarding the Consumer Confidence Report	
	Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other,	
	Advertisement in local paper On water bills Other	
	Date customers were informed: 6/13/12	
	CCR was distributed by mail or other direct delivery. Specify other direct delivery method	ds:
/	Date Mailed/Distributed:/_/	
	CCR was published in local newspaper. (Attach copy of published CCR or proof of publication)	
	Name of Newspaper: Chickasaw Journal	
	Date Published: 6/13/12	
	CCR was posted in public places. (Attach list of locations)	
	Date Posted: / /	
	CCR was posted on a publicly accessible internet site at the address: www	
CERTI	<u>IFICATION</u>	
the form	by certify that a consumer confidence report (CCR) has been distributed to the customers of this public m and manner identified above. I further certify that the information included in this CCR is true at ent with the water quality monitoring data provided to the public water system officials by the ment of Health, Bureau of Public Water Supply.	and correct and is
	Title (President, Mayor, Owner, etc.)  Date	· .
Name/I	The Wishern, Mayor, Owner, etc.,	
<i>.</i>	Mail Completed Form to: Bureau of Public Water Supply/P.O. Box 1700/Jackson, MS 3921 Phone: 601-576-7518	5

## 2011 Annual Drinking Water Quality Report Town of New Houlka PWS#: 0090003 & 0580023

May 2012

2012 JUN 29 AM 9: 0!

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Eutaw/McShan and Ripley Aquifers.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Town of New Houlka have received moderate susceptibility rankings to contamination.

If you have any questions about this report or concerning your water utility, please contact David Ray at 662.568.2745. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the first Tuesday of the month at 6:00 PM at the Mayor's Office.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that were detected during the period of January 1<sup>st</sup> to December 31<sup>st</sup>, 2011. In cases where monitoring wasn't required in 2011, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal"(MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) - The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) — The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

PWS ID#:00	90003		7	TEST RESULTS				
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination
Inorganic C	ontamina	nts						
10. Barium	N	2011	.038	.037038	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
14. Copper	N	2009/11	.1	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
15. Cyanide	N	2011	37.14	No Range	ppb	200	200	Discharge from steel/metal factories; discharge from plastic and fertilizer factories
16. Fluoride**	N	2011	.169	.121169	ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories

17. Leac	N	2009/1	1 1	0	ppb		0 AL=	15 Corrosion of household plumbing systems, erosion of natural deposits
Disinfection	n Bv-	Produc	ts					
Chlorine	N	2011	.5	.2870	ppm	0	MDRL = 4	Water additive used to control microbes

Violation			RESULTS				
Y/N	Date Collected	Level Detected	Range of Detects of # of Samples Exceeding MCL/ACL	or Unit Measure -ment	MCLG	MCL	Likely Source of Contamination
ntamina	nts						
N	2010*	.017	.016017	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
N	2010*	4.3	1.1 – 4.3	ppb	100	100	Discharge from steel and pulp mills; erosion of natural deposits
N	2010*	30	29 - 30	ppb	200	200	Discharge from steel/metal factories; discharge from plastic and fertilizer factories
N	2010*	.981	.852 – .981	ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
N	2009/11	1	0	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
			27 - 9 n	om T	O ME	DRL = 4	Water additive used to control
	N N N N	N 2010*  N 2010*  N 2010*  N 2009/11  n By-Products	N 2010* .017  N 2010* 4.3  N 2010* 30  N 2010* .981  N 2009/11 1  n By-Products	N   2010*   .017   .016017     N   2010*   4.3   1.1 - 4.3     N   2010*   30   29 - 30     N   2010*   .981   .852981     N   2009/11   1   0     n   By-Products	N   2010*   .017   .016017   ppm     N   2010*   4.3   1.1 - 4.3   ppb     N   2010*   30   29 - 30   ppb     N   2010*   .981   .852981   ppm     N   2009/11   1   0   ppb	N   2010*   .017   .016017   ppm   2     N   2010*   4.3   1.1 - 4.3   ppb   100     N   2010*   30   29 - 30   ppb   200     N   2010*   .981   .852981   ppm   4     N   2009/11   1   0   ppb   0     n   By-Products	N   2010*   .017   .016017   ppm   2   2     N   2010*   4.3   1.1 - 4.3   ppb   100   100     N   2010*   30   29 - 30   ppb   200   200     N   2010*   .981   .852981   ppm   4   4     N   2009/11   1   0   ppb   0   AL=15     N   By-Products

<sup>\*</sup> Most recent sample. No sample required for 2011.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

## \*\*\*\*\*A MESSAGE FROM MSDH CONCERNING RADIOLOGICAL SAMPLING\*\*\*\*\*

In accordance with the Radionuclides Rule, all community public water suppliers were required to sample quarterly for radionuclides beginning January 2007 - December 2007. Your public water supply completed sampling by the scheduled deadline; however, during an audit of the Mississippi State Department of Health Radiological health laboratory, the Environmental Protection Agency (EPA) suspended analyses and reporting of radiological compliance samples and results until further notice. Although this was not the result of inaction by the public water supply, MSDH was required to issue a violation. This is to notify you that as of this date, your water system has not completed the monitoring requirements. The Bureau of Public Water Supply has taken action to ensure that your water system be returned to compliance by March 31, 2013. If you have any questions, please contact Melissa Parker, Deputy Director, Bureau of Public Water Supply, at 601.576.7518.

The Town of New Houlka works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

## PROOF OF PUBLICATION

THE STATE OF MISSISSIPPI COUNTY CHICKASAW

Before the undersigned authority of said county and state, pappeared before Terror No. 13, clerk of a public new published in the City of Houston, County of Chickasaw, St Mississippi, called the Chickasaw Journal, who, being duly depose and say that the publication of the notice hereto affirmade in said paper for consecutive weeks, to-wit:	vspaper ate of v sworn doth
Vol. 106 No32, on the 13 day of	, 2012
Vol 1 1 0	, 2012
Vol No, on the day of	, 2012
Vol. No.	, 2012
Vol No, on the day of	, 2012
	, 2912
Legal	Ad Clerk
Sworn to and subscribed to this the, 2012 before me, to the Notary Public of said County of Chick	he undersigned
By: X	$N \cdot \lambda = 1$
The second secon	Notary Public
The state of the s	
Printer's Fee:	02.00

RECEIVED-WATER SUPPLY

2012 JUN 29 AM 9: 02

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we delive to you every day. Our constant goal is to provide you with a safe and dependable supply of dinking water. We want you to understand the efforts we make to continually insporte the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the EutomiticShan and Ripley Aquites.

The source water assessment has been completed for our public water system to determine the overall susceptibitity of its drinking water supply to identified potential sources of contamination. A report containing detailed information on how the susceptibitity determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Town of New Houlka have received moderate susceptibitity rankings to contamination.

If you have any questions about this report or concerning your water utility, please contact Devid Ray at 662.568.2745. We want our valued outstomers to be informed about their water utility, if you want to learn more, please attend any of our regularly scheduled meetings. They are held on the first Treading of the month at 50.0PM at the Major's office.

We routinely monitor for constituents in your drinking water according to Federal and State trival. This table below sists all of the drinking water contaminants that were detected during the period of January I<sup>®</sup> to December 31<sup>®</sup>, 2011. In cases where monitoring wasn't required in 2011, the table reflects the most provide results, as water travels over the surface of land or underground, it dissolves naturally occurring miserals and, an post one cases, redicated membershall and can pick up substances or contaminants from the presence of animate of rominance activity, microbial contaminants, such as state and badders, that may come from savege treatment plants, septic systems, agricultural livestock operations, and widting, inorganic contaminants, such as state and metals, which can be naturally occurring or result from unban storm-water rundi, industrial, incorpsic contaminants, such as states and metals, which can be naturally occurring or result from unban storm-water rundi, industrial, to exercise understanding the state of the state of

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Meximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG): The "Goal"(MCLG) is the level of a contaminant in clinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residusi Disinfectant Level (MRDL) - The highest level of a disinfectant allowed in drinking water. There is commissing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Maximum Residual Distributions (MRCLG) — The level of a diriking water distribution below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Perts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000. Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

PWS ID#:0090003 TEST RESULTS Level Range of Detects or Detected # of Samples Exceeding Unit Measure -ment Contaminant MCLG MCL Likely Source of Contamination Y/N MCL/AC Inorganic Contaminants .037- .038 Discharge of drilling wastes; rilerhame from metal refineries; .038 discharge from metal refiner erosion of natural deposits 14. Copper 2009/11 AL=1.3 Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives 15. Cyanida 2011 preservatives
Discharge from steel/metal
factories; discharge from plastic
and fertizer factories
Erosion of natural deposits, water
additive which promotes strong
teeth; discharge from fertilizer and
aluminum factories No Range ppb 200 2011 .169 .121 - .169 ppm aluminum factories
Corrosion of household plumbing 17. Lead 2009/11 systems, erosion of natural **Disinfection By-Products** .28 - .70 ppm MDRL = 4 | Water additive used to control

PWS ID#: (	580023		TEST	RESULTS				
Conteminant	Violation Y/N	Date Collected	Levei Detected	Range of Detects of # of Samples Exceeding MCL/ACL	Unk Measure -ment	MCLG	MCI.	Likely Source of Contamination
Inorganic (	ontamin	ents				·		<u> </u>
10. Barium	N	2010*	.017	1.016017	ppm	2	2	Discharge of driting wastes; discharge from metal refineries; eroelon of natural deposits
13. Chromium	N	2010*	4.3	1.1 - 4.3	ābp	100	100	Discharge from steel and pulp mile; erosion of natural deposits
15, Cyanida	N	2010*	30	29 - 30	ppb	200	200	
16. Fluoride	N	2010*	.981	.852 ~ .981	ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and atuminum factories
17. Lead	N	2009/11	1	0	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
Disinfectio	n By-Pr	oducts						
Chlorine	N :	.5	.2	79 ppn	·	0 MOR		Water additive used to control

We are required to monitor your ordining water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our dininking water needs health standards, in an effort to ensure systems complete all monitoring requirements, MSDH now notices systems of any missing samples prior to the end of the completene perior.

If present, devated levels of lead can class serious health problems, especially for pregnent women and young children. Lead in drinking water is presently from materials and components associated with service frees and home plumbing. Our Water Association is responsible for providing high causity drinking water, but cannot control the variety of muscle of injuniting uncomponents. When your value has been stilling for several hours, or can minimize the potential for lead exposure by historial your lep for 30 seconds to 2 minimizes before using water for drinking or cooking. If you are contended about the contended to the conten the same natural or man made. These substances can be

cyobbeq ont; whi The corn had to to have some atter Cotton was just killing me. non weevils but I in

would review Heair's concern. President Bart Munlin said the board the district and was denied, School Board policy. Heair had sought a transfer within trict transfer policy and Equal Opportunity -sun entititis ure dis-